

## Delta Uranium Reports Additional Drill Holes at Richard Lake and Commences Phase 2 Drilling

May 26, 2008

TSX: DUR

Toronto, Ontario - Delta Uranium Inc. ("Delta" or the "Company") to announce that analytical results have been received for the last three of the 20 diamond drill holes on the Richard Lake Uranium Deposit ("Richard Lake"). As previously reported April 17, 2008 The drilling has established the existence of multiple uranium-bearing pegmatite dykes at Richard Lake extending over a strike length of 220 metres, and to a depth of 215 metres and remains open in all directions.

Hole RL07-017 returned 0.042%  $U_3O_8$  (0.83 pounds per ton) over 0.55 metres and 0.017%  $U_3O_8$  (0.35 pounds per ton) over 0.50 metres in two separate mineralized zones. Drill hole RL07-017 was drilled at  $-65^\circ$  from the same collar as RL07-018 ( $-55^\circ$ ) on the Richard Lake Uranium Deposit. These two holes were the most easterly of the 20 drill holes at Richard Lake (see Figure 1: Richard Lake Adit and Drill Locations). Analytical results were also received for holes RL07-008 and -009 both returned low uranium values with Hole RL07-009 being abandoned at a 32 metre depth before reaching its target.

The drilling program, comprising 20 holes totalling 2,151m, was designed to confirm historic drill results as well as testing for possible strike extensions of the mineralized horizon to the northeast and southwest. The program was successful in both respects, identifying the uranium mineralized pegmatite within previously reported zones, as well as extending mineralization along strike to the northeast and southwest. Given this success drill hole RL08-021, designed to extended the zone at depth, is now underway.

As previously reported April 17, 2008, Drill hole RL07-11 was drilled to test the northeast extension of the deposit, and successfully identified the mineralized pegmatite returning an intersection of **8.40 metres of 0.055%  $U_3O_8$**  (1.11 pounds per ton) including **2.00 metres of 0.148%  $U_3O_8$**  (2.95pounds per ton). Holes RL07-13 and RL07-15, drilled to the southwest of the deposit, were also successful in extending the known uranium mineralization along strike. These holes returned intersections of 1.00 metre grading 0.017%  $U_3O_8$  (0.34 pounds per ton) and 3.00 metres grading 0.017%  $U_3O_8$  (0.34 pounds per ton), respectively (see Table 1: Richard Lake Assay Summary).

The final drill hole of the program, RL07-20, was designed to undercut the uranium mineralized pegmatite identified in previous holes and intersected the zone at a down-hole depth of 165 metres, returning **1.40 metres of 0.116%  $U_3O_8$**  (2.31 pounds per ton).

Although additional drilling will be required to define a 43-101-compliant mineral resource at Richard Lake, Delta Uranium's program indicates that the uranium mineralization is of significant lateral and depth extent and has the potential to surpass previous size estimates. Results have confirmed that the uranium mineralized zone extends northeast and southwest of previous drilling and is still open along strike and at depth. The current program also suggests that the pegmatites have the potential to host wider intervals of lower grade mineralization, as observed in hole RL07-05, which returned an intersection of **13.65 metres of 0.028%  $U_3O_8$**  (0.56 pounds per ton).




A list of all intersections containing uranium values over 100 ppm U (0.012% U<sub>3</sub>O<sub>8</sub>) is given in the following table. Averages were calculated using an across-the-zone cutoff of 50 ppm U. No estimate of true widths has been made as the geometry of the pegmatite bodies is not known in detail.

Table 1: Richard Lake Assay Summary

RICHARD LAKE ASSAY SUMMARY								
DRILL HOLE No.	Azimuth	Dip	From (m)	To (m)	Core Length (m)	Uranium (ppm)	U3O8 percent	U3O8 lbs/ton
RL07-001	150°	-55°	82.40	86.00	3.60	87	0.010	0.20
RL07-002	150°	-65°	29.20	31.00	1.80	138	0.016	0.33
RL07-003	150°	-65°	38.00	38.40	0.40	167	0.020	0.39
and			41.30	41.70	0.40	171	0.020	0.40
RL07-004	150°	-55°	51.40	53.00	1.60	370	0.044	0.87
RL07-005	150°	-65°	44.35	58.00	13.65	238	0.028	0.56
includes			44.35	48.00	3.65	459	0.054	1.08
and			50.00	52.00	2.00	304	0.036	0.72
and			55.00	58.00	3.00	312	0.037	0.74
also			90.00	90.70	0.70	332	0.039	0.78
RL07-006	150°	-55°	36.20	44.00	7.80	464	0.055	1.10
and			45.90	47.00	1.10	228	0.027	0.54
and			55.60	57.60	2.00	177	0.021	0.42
and			78.50	80.00	1.50	176	0.021	0.42
RL07-007	150°	-55°	13.20	13.90	0.70	140	0.017	0.33
RL07-008		-65°	No values over 100 ppm U					
RL07-009			No values over 100 ppm U					
RL07-010	150°	-45°	59.40	60.25	0.85	169	0.020	0.40
RL07-011	150°	-65°	48.00	56.40	8.40	470	0.055	1.11
includes			49.00	51.00	2.00	1252	0.148	2.95
also			85.00	91.00	6.00	201	0.024	0.47
RL07-012	150°	-55°	46.00	46.70	0.70	277	0.033	0.65
and			67.80	69.50	1.70	479	0.057	1.13
RL07-013	160°	-45°	20.00	21.00	1.00	144	0.017	0.34
RL07-014	160°	-65°	No values over 100 ppm U					
RL07-015	160°	-65°	9.00	12.00	3.00	145	0.017	0.34
RL07-016	160°	-55°	No values over 100 ppm U					
RL07-017		-65°	33.00	33.50	0.50	177	0.041	0.83
and			35.90	36.45	0.55	415	0.017	0.35
RL07-018	160°	-55°	28.50	30.00	1.50	141	0.017	0.33
RL07-019	160°	-55°	85.40	86.50	1.10	258	0.030	0.61
and			92.60	93.40	0.80	378	0.045	0.89
RL07-020	160°	-60°	165.38	166.78	1.40	980	0.116	2.31
and			224.00	236.00	12.00	95	0.011	0.22



Figure 1: Richard Lake Adit and Drill Locations





### About the Kenora Uranium Project

The Kenora property is comprised of 1,855 contiguous claims covering a total of 29,680 hectares located approximately 30 km east of the town of Kenora in Northwestern Ontario. Delta's property hosts an unusually large number of uranium occurrences, which coincide with a large uranium anomaly in lake-bottom sediments.

The Kenora properties are considered to have significant potential to contain uranium deposits as known basement rocks (leucogranitic peraluminous bodies) are favourable uranium hosts; and previous exploration has shown ubiquitous uranium mineralization, including one deposit which has seen limited mining development. In addition, the numerous unexplored airborne radiometric and geochemical anomalies identified by the current exploration program indicate a greater potential than was originally thought for the area.

### Qualified Person

Exploration on the Company's Kenora Project is conducted under the supervision of Colin Bowdidge, Ph.D., P.Geo., a Qualified Person as defined under National Instrument 43-101. Dr. Bowdidge has read and approved this news release. Sufficient work has not been completed to classify the historical estimate as current mineral resources, as such Delta is not treating the historical estimate as current mineral resources and the historical estimate should not be relied upon. Analyses were performed by Accurassay Laboratories in Thunder Bay using ICP methods.

### About the Company

Delta Uranium Inc. is engaged in the exploration of uranium in the Kenora and Timmins areas of Ontario, Canada. The Company recently completed the acquisition of the Kenora uranium property and holds interest in additional uranium and gold properties in Ontario. Delta completed a non-brokered private placement raising gross proceeds of \$8,833,000 on November 9, 2007. The common shares of the Company commenced trading on the TSX on May 20, 2008.

### For additional information contact:

---

Wayne Isaacs, Chairman and CEO  
Tel: (416) 363-3582  
news@deltauranium.com  
www.deltauranium.com

*The TSX has not reviewed and does not accept responsibility for the adequacy of this news release.*